
Red-Backed

Salamander Counts and Activities



Third Grade, Leeds Elementary


Birds!
rule!



















WANTED ALIVE

Red backed salamander lives in deciduous forests. three morphs red backed, lead backed and erythristic [all red].you may find them under logs and rocks extra points if you find the salamander coiled around their eggs. they are lungless a salamander eats bugs and worms. Remember to Look carefully under rocks,leaf litter and logs.Have fun:) hunting!!!



KEY

RED BACKED=5PTS
LEAD-BACKED=10PTS
SALAMANDER EGGS=20PTS
ERYTHRISTIC MORPH=25 PTS


Reward:

Help in Scientific learning and thanks from the Scientists

Wanted

Red Backed Salamander Find them


Alive Alive Alive Alive




Red Backed Salamander

5/9/17

Red Back Salamander





RED BACKED SALAMANDER LIVES IN THE DEEP WOODS OF THE EASTERN US IN MOIST PLACES NEAR A STREAM UNDER ROCKS LEAVES AND LOGS. THEY ARE BLACK AND GREY AND A RED STRIPE DOWN THEIR BACK. THEY SLITHER IN THE WOODS YOU MIGHT FIND THEM CRAWLING ON LOGS. EAT BUGS, WORMS, BEETLES. THEY HAVE SOFT SMOOTH SKIN NEEDS TO STAY MOIST. THERE SCIENTIFIC NAME IS PLETHODON CINEREUS.

By Isaac and Lanoy


Reward=

high Five From us

WANTED

ALIVE

This nearly invisible salamander is hiding around every corner. It lives in the deciduous forest and it is called the red backed salamander. He is 2-5 inches long. He lurks under rotting logs and rocks. His bright red stripe makes him easy to identify but he can also be all black or gray. Beware the Red-backed salamander blends into the forest so watch out! He snoops around in leaf-litter.



Reward: Shock and amazement at this Amazing Amphibian!!!!!!!

By:

Wanted!

ALIVE!


The Red-backed salamander 2 to 5 in long. Lives in damp forests under logs and leaf litter. Very fast. Beware! It will murder snails, spiders, centipedes, and MORE. Hides from predators like bigger salamanders, birds and MORE. If you're lucky you will find the all red one. There are 3 phases the lead back, redback and the erythristic phase.The female guards her eggs so be careful not to mess with her. Only can be found in the fall and spring.

P.S. VERY FIESTY.

warmy the worm



by Phoebe Amazing, Sasha


GUADELOUPE






COLORADO







